

DECLARATION OF PERFORMANCE AND CONFORMITY: EN 10088-4:2009

Document no.:

TEC-DOP-4462H

Revision 7

For the construction and heaten the Both 1961 1961 1961 1961 1961 1961 1961 196					
				t of Corrosion Resisting Steel	
1.	Identification code of the produ	ıct-type	1.4462 – EN 10088-4:2009		
2.	Type		1.4462 See marking / label / inspection certificate		
3.	Intended use		Building Construction or Civil Engineering		
				ous Stainless (Pty) Ltd	
4.	Manufacturer		Hendrina Road, Middelburg, South Africa,		
			1050		
5.	Authorized Depresentative in t	ho Ell	Acerinox	x Europa S.A.U. C/ Santiago de	
J 3.	Authorised Representative in the	Compos		stela nº 100. 28035 Madrid, Spain	
l l 6.	Assessment system and verification for		EN 10088-4, Annex ZA, System 2+		
<u> </u>	constancy of performance as per Annex V				
	The Notified Body:		TÜV Rheinland Polska Sp. z o.o.		
	has conducted the first inspection and				
_	continuous surveillance according to the		2+ 2627-CPR-B.ZA0001.TÜVRh.22.00		
7.	system:				
	and issued the certificate:	for the feetens	2627-CP	R-B.ZA0001.10VRn.22.00	
	as a confirmation of conformity	for the factory			
8.	Construction product with European Technical Assessment: No				
9.					
I Ŭ.				<u> </u>	
		D (Hammania ad Tarkuia al Onesida adam	
	Essential Characteristics	Performa		Harmonised Technical Specification	
	Tolerances on Dimensions	Tables 1 to 10		-	
	Tolerances on Dimensions and Shape			Harmonised Technical Specification EN 10051:2010	
	Tolerances on Dimensions and Shape Mechanical Properties -	Tables 1 to 10		-	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse:	Tables 1 to 10 Paragraphs 9,		-	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength	Tables 1 to 10 Paragraphs 9, 700-950MPa		-	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa		EN 10051:2010	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa ≥25%		EN 10051:2010	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation • Impact strength	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa		EN 10051:2010	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation • Impact strength Weldability [Covered by	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa ≥25%		EN 10051:2010	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation • Impact strength Weldability [Covered by chemical composition]	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa ≥25% ≥60J Table 4		EN 10051:2010 EN 10088-4:2009 EN 10088-4:2009	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation • Impact strength Weldability [Covered by chemical composition] Durability [Covered by	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa ≥25% ≥60J		EN 10051:2010 EN 10088-4:2009	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation • Impact strength Weldability [Covered by chemical composition] Durability [Covered by chemical composition]	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa ≥25% ≥60J Table 4		EN 10051:2010 EN 10088-4:2009 EN 10088-4:2009	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation • Impact strength Weldability [Covered by chemical composition] Durability [Covered by chemical composition] Fracture Toughness / Brittle	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa ≥25% ≥60J Table 4 Table 4		EN 10051:2010 EN 10088-4:2009 EN 10088-4:2009 EN 10088-4:2009	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation • Impact strength Weldability [Covered by chemical composition] Durability [Covered by chemical composition] Fracture Toughness / Brittle Strength [Covered by impact	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa ≥25% ≥60J Table 4		EN 10051:2010 EN 10088-4:2009 EN 10088-4:2009	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation • Impact strength Weldability [Covered by chemical composition] Durability [Covered by chemical composition] Fracture Toughness / Brittle Strength [Covered by impact strength]	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa ≥25% ≥60J Table 4 Table 4 Table 11		EN 10051:2010 EN 10088-4:2009 EN 10088-4:2009 EN 10088-4:2009 EN 10088-4:2009	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation • Impact strength Weldability [Covered by chemical composition] Durability [Covered by chemical composition] Fracture Toughness / Brittle Strength [Covered by impact	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa ≥25% ≥60J Table 4 Table 4		EN 10051:2010 EN 10088-4:2009 EN 10088-4:2009 EN 10088-4:2009	
	Tolerances on Dimensions and Shape Mechanical Properties - Transverse: • Tensile strength • 0.2% Proof strength Elongation • Impact strength Weldability [Covered by chemical composition] Durability [Covered by chemical composition] Fracture Toughness / Brittle Strength [Covered by impact strength] Cold Formability [Covered by	Tables 1 to 10 Paragraphs 9, 700-950MPa ≥460MPa ≥25% ≥60J Table 4 Table 4 Table 11	10 & 11	EN 10051:2010 EN 10088-4:2009 EN 10088-4:2009 EN 10088-4:2009 EN 10088-4:2009	

10. The performance of the product is in accordance with the specification given above. This Declaration of Performance is issued under the sole responsibility of Columbus Stainless (Pty) Ltd.

Signed for and on behalf of the manufacturer by:

DJ Kruger: Business Unit Manager Technical

Signed at Middelburg, South Africa on the 17th day of March 2023